



Inspection Report

DEBBIE CLARK

Customer ID: 7441

Certificate: 43-A-4003

Site: 001

DEBBIE CLARK

49735 PEACH ROAD

Type: ROUTINE INSPECTION

Date: Dec-03-2009

MILAN, MO 63556

No non-compliant items found during inspection.

This was a FOCUSED inspection on the non compliant item found on 2 Dec 2009.

Sec. 3.4 Outdoor housing facilities.

(b) Shelter from the elements. Outdoor facilities for dogs or cats must include one or more shelter structures that are accessible to each animal in each outdoor facility, and that are large enough to allow each animal in the shelter structure to sit, stand, and lie in a normal manner, and to turn about freely. In addition to the shelter structures, one or more separate outside areas of shade must be provided, large enough to contain all the animals at one time and protect them from the direct rays of the sun. Shelters in outdoor facilities for dogs or cats must contain a roof, four sides, and a floor, and must:

(4) Contain clean, dry, bedding material if the ambient temperature is below 50 [deg]F (10 [deg]C). Additional clean, dry bedding is required when the temperature is 35 [deg]F (1.7 [deg]C) or lower.

Throughout the outdoor housing facilities in at least 13 enclosures there was no bedding provided in the shelters. When the temperature falls below 50 degrees Fahrenheit bedding must be provided for the health and well being of the animal. When the temperature falls below 35 degrees Fahrenheit extra bedding must be provided for the health and well being of the animal. Licensee must provide all outdoor shelters with bedding. The temperature within the last month, according to accuweather.com for the local area, had dropped below 50 degrees Fahrenheit on Nov 1-8, 11-12, 15-21, 24-27, 29-30 and Dec 1-2 2009. The temperature within the last month, according to accuweather.com, for the local area had dropped below 35 degrees Fahrenheit on Nov 1-5, 12, 19-21, 26-27, 30 and Dec 2 2009. Licensee needs to develop a program that ensures all animals are provided bedding when the temperature falls below 50 degrees Fahrenheit and extra, clean and dry bedding when the temperature falls below 35 degrees Fahrenheit at all times.

To be corrected by: 3 Dec 2009

Prepared By:

STEPHANIE L OSBORNE, A C I USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5054

Date:

Dec-04-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Dec-04-2009

Title:



Inspection Report

DEBBIE CLARK

Customer ID: 7441

Certificate: 43-A-4003

Site: 001

DEBBIE CLARK

49735 PEACH ROAD

Type: ROUTINE INSPECTION

Date: Dec-02-2009

MILAN, MO 63556

2.40 (b) (2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

HAIR COAT PROBLEMS 2.40 (b) (2)

(b) Each dealer or exhibitor shall establish and maintain programs of adequate veterinary care that include:

(2) The use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries, and the availability of emergency, weekend, and holiday care

A male Sheltie, microchip #075025281, "Fonzie" was noted with hair coat maintenance problems with excessive matting on his chest, sides and back. Matting of the hair coat can be painful, can lead to the development of skin infections, and reduces the ability of the coat to insulate the animal. The licensee must remove the matted hair from the above stated dogs. The licensee must develop an effective program of hair coat maintenance.

To be corrected by: 9 Dec 2009

3.4 (b) (4)

OUTDOOR HOUSING FACILITIES.

Sec. 3.4 Outdoor housing facilities.

(b) Shelter from the elements. Outdoor facilities for dogs or cats must include one or more shelter structures that are accessible to each animal in each outdoor facility, and that are large enough to allow each animal in the shelter structure to sit, stand, and lie in a normal manner, and to turn about freely. In addition to the shelter structures, one or more separate outside areas of shade must be provided, large enough to contain all the animals at one time and protect them from the direct rays of the sun. Shelters in outdoor facilities for dogs or cats must contain a roof, four sides, and a floor, and must:

(4) Contain clean, dry, bedding material if the ambient temperature is below 50 [deg]F (10 [deg]C). Additional clean, dry bedding is required when the temperature is 35 [deg]F (1.7 [deg]C) or lower.

Throughout the outdoor housing facilities in at least 13 enclosures there was no bedding provided in the shelters. When the temperature falls below 50 degrees Fahrenheit bedding must be provided for the health and well being of the animal. When the temperature falls below 35 degrees Fahrenheit extra bedding must be provided for the health

Prepared By:

STEPHANIE L OSBORNE, A C I USDA, APHIS, Animal Care

Date:

Title: ANIMAL CARE INSPECTOR Inspector 5054

Dec-03-2009

Received By:

(b)(6),(b)(7)(c)

Date:

Title:

Dec-03-2009



Inspection Report

and well being of the animal. Licensee must provide all outdoor shelters with bedding. The temperature within the last month, according to accuweather.com for the local area, had dropped below 50 degrees Fahrenheit on Nov 1-8, 11-12, 15-21, 24-27, 29-30 and Dec 1-2 2009. The temperature within the last month, according to accuweather.com, for the local area had dropped below 35 degrees Fahrenheit on Nov 1-5, 12, 19-21, 26-27, 30 and Dec 2 2009. Licensee needs to develop a program that ensures all animals are provided bedding when the temperature falls below 50 degrees Fahrenheit and extra, clean and dry bedding when the temperature falls below 35 degrees Fahrenheit at all times.

To be corrected by: 3 Dec 2009

3.6 (c) (1) (i)

PRIMARY ENCLOSURES.

Sec. 3.6 Primary enclosures.

Primary enclosures for dogs and cats must meet the following minimum requirements:

(c) Additional requirements for dogs--

(1) Space.

(i) Each dog housed in a primary enclosure (including weaned puppies) must be provided a minimum amount of floor space, calculated as follows: Find the mathematical square of the sum of the length of the dog in inches (measured from the tip of its nose to the base of its tail) plus 6 inches; then divide the product by 144. The calculation is: (length of dog in inches + 6) x (length of dog in inches + 6) = required floor space in square inches. Required floor space in inches/144 = required floor space in square feet.

Two Maltese dogs housed in the indoor facility where in an enclosure that did not provide enough space for both dogs. The enclosure measured at 16.5 inches x 33 inches = 544.5/144 = 3.78 sq ft. The dogs, a female Maltese, microchip #076788028, "Bunny" measured 16 inches from the tip of her nose to the base of her tail. Her space requirement is calculated at (16+6)(16+6)/144 = 3.36 sq ft. A male Maltese, microchip #076816600, "Teddy" measured 15 inches from the tip of his nose to the base of his tail. His space requirement is calculated at (15+6)(15+6)/144 = 3.06 sq ft. This enclosure is not big enough for both dogs. Licensee must provide a larger enclosure for both dogs or house the dogs separately in an enclosure that meets the required floor space for each dog. Licensee must ensure that all animals are provided with enough floor space at all times for the health and well being of the animals.

Corrected at time of inspection.

Prepared By:

STEPHANIE L OSBORNE, A C I USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5054

Date:

Dec-03-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Dec-03-2009

Title:



Inspection Report

DEBBIE CLARK

Customer ID: 7441

Certificate: 43-A-4003

Site: 001

DEBBIE CLARK

49735 PEACH ROAD

Type: ROUTINE INSPECTION

Date: Aug-18-2009

MILAN, MO 63556

3.4 (b) (3)

OUTDOOR HOUSING FACILITIES.

WIND AND RAIN BREAKS 3.4 (b) (3)

(b) Shelter from the elements. Outdoor facilities for dogs or cats must include one or more shelter structures that are accessible to each animal in each outdoor facility, and that are large enough to allow each animal in the shelter structure to sit, stand, and lie in a normal manner, and to turn about freely. In addition to the shelter structures, one or more separate outside areas of shade must be provided, large enough to contain all the animals at one time and protect them from the direct rays of the sun. Shelters in outdoor facilities for dogs or cats must contain a roof, four sides, and a floor, and must:

(3) Be provided with a wind break and rain break at the entrance;

In at least one enclosure, housing a three dogs, one of the shelters was not provided with a wind and rain break at the entrance. Wind and rain breaks are required in order to protect the animals from the extremes of weather. Licensee must provide this shelter with wind and rain breaks at the entrance and ensure that all shelters in outdoor enclosures have wind and rain breaks at all times.

To be corrected by: 25 Aug 09

3.4 (b) REPEAT

OUTDOOR HOUSING FACILITIES.

Sec. 3.4 Outdoor housing facilities.

(b) Shelter from the elements. Outdoor facilities for dogs or cats must include one or more shelter structures that are accessible to each animal in each outdoor facility, and that are large enough to allow each animal in the shelter structure to sit, stand, and lie in a normal manner, and to turn about freely. In addition to the shelter structures, one or more separate outside areas of shade must be provided, large enough to contain all the animals at one time and protect them from the direct rays of the sun.

In one outdoor enclosure a standard poodle was in an enclosure that contained shelter that was not large enough for

Prepared By:

STEPHANIE L OSBORNE, A C I USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5054

Date:

Aug-19-2009

Received By:

(b)(6),(b)(7)(c)

Date:

Aug-19-2009

Title:



Inspection Report

the animal. The dog must be provided with an enclosure with a shelter structure that allows it to sit, stand, and lie in a normal manner and to turn about freely. Licensee must ensure that adequate shelters are provided to all dogs, enabling them to perform the aforementioned postures, in the outdoor enclosures at all times.

To be corrected by: 23 Aug 09

3.9 (b)

FEEDING.

Sec. 3.9 Feeding.

(b) Food receptacles must be used for dogs and cats, must be readily accessible to all dogs and cats, and must be located so as to minimize contamination by excreta and pests, and be protected from rain and snow. Feeding pans must either be made of a durable material that can be easily cleaned and sanitized or be disposable. If the food receptacles are not disposable, they must be kept clean and must be sanitized in accordance with Sec. 3.11(b) of this subpart. Sanitization is achieved by using one of the methods described in Sec. 3.11(b)(3) of this subpart. If the food receptacles are disposable, they must be discarded after one use. Self-feeders may be used for the feeding of dry food. If self-feeders are used, they must be kept clean and must be sanitized in accordance with Sec. 3.11(b) of this subpart. Measures must be taken to ensure that there is no molding, deterioration, and caking of feed.

In the sheltered facility at least 3 enclosures had a self-feeding food receptacle that had some moldy food on the little metal bar inside of it. This moldy food could pose possible health risks to the dogs. The licensee must remove the old moldy food and establish and maintain a program that will ensure that there is no molding, deterioration, and caking of feed.

To be corrected by: 22 Aug 09

Prepared By:

STEPHANIE L OSBORNE, A C I USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5054

Date:

Aug-19-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Aug-19-2009

Title:



Inspection Report

DEBBIE CLARK

Customer ID: 7441

Certificate: 43-A-4003

Site: 001

DEBBIE CLARK

49735 PEACH ROAD

Type: ROUTINE INSPECTION

MILAN, MO 63556

Date: Aug-27-2008

2.40 (b) (2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

Sec. 2.40 Attending veterinarian and adequate veterinary care (dealers and exhibitors).

(b) Each dealer or exhibitor shall establish and maintain programs of adequate veterinary care that include:

(2) The use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries, and the availability of emergency, weekend, and holiday care

Four bottles of medications; one bottle of Fish Flex (cephalixin), one bottle of Fish Mox (amoxicillian), and one bottle of Fish zole Forte (metronidazole) labled for use in fish. One bottle of Bird Sulfa (sulfamethoxazole) labled for use in birds. These drugs are not labeled for use in dogs. The licensee must obtain dosing instructions from a veterinarian for all medications used in the kennel that are not labeled for use in dogs, in order to ensure that the medications are dosed safely and to protect the health of the animals.

To be corrected by: September 3, 2008

3.1 (c) (1) (i)

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

Facilities and Operating Standards

(c) Surfaces--

(1) General requirements. The surfaces of housing facilities--including houses, dens, and other furniture-type fixtures and objects within the facility--must be constructed in a manner and made of materials that allow them to be readily cleaned and sanitized, or removed or replaced when worn or soiled. Interior surfaces and any surfaces that come in contact with dogs or cats must:

(i) Be free of excessive rust that prevents the required cleaning and sanitization, or that affects the structural strength of the surface

In the outdoor enclosure, housing nine cocker spaniels and divided into 3 runs, there was excessive rust accumulation on the fence panel and the metal pipes the fence panels are attached to. In the Dachsund sheltered

Prepared By:

STEPHANIE L OSBORNE, A C I USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5054

Date:

Aug-27-2008

Received By:

(b)(6),(b)(7)(c)

Date:

Aug-27-2008

Title:



Inspection Report

facility, the metal connecting brackets of the 8 pens have become excessively rusted. The rust does not allow for proper sanitization to occur during the cleaning process in order to protect the health and well-being of the animal. Licensee must seal or replace these surfaces in order to ensure that they can be properly cleaned and sanitized. Licensee must develop a program of monitoring and maintenance in order to ensure that all surfaces are free of excessive rust at all times.

To be corrected by: October 24, 2008

3.4 (b)

OUTDOOR HOUSING FACILITIES.

Sec. 3.4 Outdoor housing facilities.

(b) Shelter from the elements. Outdoor facilities for dogs or cats must include one or more shelter structures that are accessible to each animal in each outdoor facility, and that are large enough to allow each animal in the shelter structure to sit, stand, and lie in a normal manner, and to turn about freely. In addition to the shelter structures, one or more separate outside areas of shade must be provided, large enough to contain all the animals at one time and protect them from the direct rays of the sun. Shelters in outdoor facilities for dogs or cats must contain a roof, four sides, and a floor

In the outdoor housing facility there was an enclosure housing 12 cocker spaniels and 3 blue barrel type shelters. These 3 blue barrel type shelters do not provide enough space for each animal in the enclosure to sit, stand, and lie in a normal manner, and to turn about freely. This enclosure must contain a shelter for each of the animals to escape from the extremes of weather. The licensee must provide shelters large enough to allow each animal in the shelter structure to sit, stand, and lie in a normal manner, and to turn about freely at all times.

To be corrected by: September 3, 2008

3.4 (c)

OUTDOOR HOUSING FACILITIES.

Sec. 3.4 Outdoor housing facilities.

(c) Construction. Building surfaces in contact with animals in outdoor housing facilities must be impervious to moisture. All surfaces must be maintained on a regular basis. Surfaces of outdoor housing facilities--including houses, dens, etc.--that cannot be readily cleaned and sanitized must be replaced when worn or soiled.

In the outdoor enclosure the wooden slated floors are no longer impervious to moisture. The unsealed wood does not allow for proper sanitization to occur. The wooden slated floors must be repaired or replaced so the surface may be readily cleaned and sanitized.

The licensee must establish and maintain a program that will allow these structures to be readily cleaned and sanitized on a regular basis.

To be corrected by: September 24, 2008

Prepared By:

STEPHANIE L OSBORNE, A C I USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5054

Date:

Aug-27-2008

Received By:

(b)(6),(b)(7)(c)

Date:

Aug-27-2008

Title:



Inspection Report

3.6 (a) (2) (x)

PRIMARY ENCLOSURES.

Sec. 3.6 Primary enclosures.

Primary enclosures for dogs and cats must meet the following minimum requirements:

(a) General requirements.

(2) Primary enclosures must be constructed and maintained so that they:

(x) Have floors that are constructed in a manner that protects the dogs' and cats' feet and legs from injury, and that, if of mesh or slatted construction, do not allow the dogs' and cats' feet to pass through any openings in the floor;

In the whelping facility it was observed the wire mesh flooring had openings large enough, 3/4 inch X 3/4 inch, that allowed the 5 Shitzu/Maltese puppies' feet to pass through them. The puppies' feet were approximately 1/2 to 3/4 inch in diameter. These openings allows for potential injury to occure to the puppies' feet and legs. All floors must be constructed in a manner that does not allow the puppies feet to pass through any openings in the floor and to protect them from injury. The licensee must repair or replace these floors so that the puppies' feet cannot pass through any openings in the floor.

To be corrected by: September 10, 2008

Prepared By:

STEPHANIE L OSBORNE, A C I USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5054

Date:

Aug-27-2008

Received By:

(b)(6),(b)(7)(c)

Date:

Aug-27-2008

Title:



Inspection Report

DEBBIE CLARK

Customer ID: **7441**

Certificate: **43-A-4003**

Site: 002

DEBBIE CLARK

49735 PEACH ROAD

Type: ROUTINE INSPECTION

Date: Dec-07-2009

MILAN, MO 63556

This is a new site inspection

No non-compliant items found.

Prepared By:

STEPHANIE L OSBORNE, A C I USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 5054

Date:

Dec-08-2009

Received By:

(b)(6),(b)(7)(c)

Date:

Dec-08-2009

Title:



Inspection Report

DEBBIE CLARK

Customer ID: 7441

Certificate: 43-A-4003

Site: 002

DEBBIE CLARK

49735 PEACH ROAD

Type: ROUTINE INSPECTION

Date: Dec-02-2009

MILAN, MO 63556

2.40 (a) (1)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

SITE VISITS BY AV 2.40 (a) (1)

(a) Each dealer or exhibitor shall have an attending veterinarian who shall provide adequate veterinary care to its animals in compliance with this section.

(1) Each dealer and exhibitor shall employ an attending veterinarian under formal arrangements. In the case of a part-time attending veterinarian or consultant arrangements, the formal arrangements shall include a written program of veterinary care and regularly scheduled visits to the premises of the dealer or exhibitor.

Program of Veterinary Care is not yet current. The program of veterinary care indicates that the attending veterinarian will visit the site on at least an annual basis. Regularly scheduled site visits must be conducted by the attending veterinarian, as required in the program of veterinary care, in order to protect the health and well-being of the animals. The licensee must schedule a site visit with the attending veterinarian.

This is a new site inspection.

An exit briefing was conducted with the owners upon completion of the inspection.

They were informed that the site must pass with a clean inspection, i.e., no noncompliant items have been cited and also that No regulated activities may take place at the new site until it has passed inspection.

Prepared By:

STEPHANIE L OSBORNE, A C I USDA, APHIS, Animal Care

Date:

Title: ANIMAL CARE INSPECTOR Inspector 5054

Dec-03-2009

Received By:

(b)(6),(b)(7)(c)

Date:

Title:

Dec-03-2009